100/100 MARKS

ARTHAM
RESOURCE MATERIAL
NCERT EDUCATIONAL RESOURCES

NCERT

CHAPTER WISE

TOPIC WISE

LINE BY LINE QUESTIONS

2024

BY
SCHOOL OF
EDUCATORS

MORPHOLOGY OF FLOWERING PLANTS



FRUIT

- Feature of flowering plants.
- Fruit is mature / ripened ovary (develops after fertilization)
- Fruit wall → Pericarp
- Pericarp divided into outer epicarp & inner endocarp & middle mesocarp
- Drupe → fruit of coconut & mango
- Parthenocarpic fruits that develop without fertilisation of ovary

SEED

- After fertilisation, ovules develop into seeds.
- Seed has Seed coat & embryo.
- Embryo has radicle, embryonal axis & cotyledons.
- One cotyledon – Monocot seeds (Wheat, Maize)
- Two cotyledons – Dicot seeds (Gram & Pea).



TYPES

- Simple → Mango
- Compound → lamina dividived Pinnately
- Compound → Neem, Palmately
- Compound → Silk, Cotton

STEM

- Ascending part of axis bearing branches, leaves, flowers, fruits.
- Develops from plumule of seed
- Bears nodes & internodes
- Has buds – terminal & auxiliary.

PHYLLOTAXY

- Alternate – leaf at each node in alternate manner
- Opposite – leaf at each node in opposite manner
- Whorled – More than 2 leaves at a node & form a whorl.

ROOT

- Elongation of Radicle in plans forms primary root. Lateral roots from primary root form secondary.
- Tertiary roots.

FAMILIES

- FABACEAE – also called Papilionoidae (Sub family of Leguminosae). Pulses. Oil.
- FLORAL FORMULA– $\oplus \varphi K_{(5)} C_{(5)} A_{(9)+(1)} G_{(1)}$
- SOLANACEAE– "Potato family" tomato, brinjal, potato, chilli.
- FLORAL FORMULA– $\oplus \varphi K_{(5)} C_{(5)} A_{(5)} G_{(2)}$
- LILIACEAE– "Lily family" (Tulips) Characteristic family of Monocots.
- Formal formula– $Br \oplus \varphi P_{(3+3)} A_{3+3} G_{(3)}$



ROOT SYSTEMS

- Primary roots & its branches form Tap root system .e.g mustard
- Roots coming from base of the stem form fibrous root system. E.g wheat
- Roots arising from other than radicle → adventitious roots. E.g Grass etc.

INFLORESCENCE

- Inflorescence – Arrangement of flowers on floral axis.
- Floral meristem is modified shoot apical meristem
- Racemose inflorescence – main axis grows; flowers in acropetal manner (Soybean)
- Cymose inflorescence – main axis terminates flowers in basipetal order (Tulip)

TYPES OF FLOWER

- Flower – reproductive unit of angiosperms.
- Flower arranged on thalamus

On the basis of position of ovary w.r.t. all whorls	Hypogynous – Ovary highest Perigynous – all whorls same level. Epigynous – Ovary inferior
On the basis of Bracts	Bracteate Ebracteate
Presence of Stamen & Carpel	Bisexual (both present) Unisexual (only one)
On the basis of Symmetry	Actinomorphic (Radial Symmetry) Zygomorphic (Bilateral Symmetry)
On the basis of No. of floral appendages	Trimerous Tetramerous Pentamerous

Calyx	Corolla	Androecium	Gynoecium
Outermost whorl Sepals Green Protect the flower	Next to Calyx Petals Brightly coloured Attract insects for pollination	Inner to Corolla Stamens Male Reproductive Part Stamen has another & filament	Innermost whorl Carpel/ Pistil Female Reproductive Part Carpel has Stigma, Style & ovary

MODIFICATION OF PARTS

Gamosepalous (Sepals United) Polysepalous (Sepals free)	Gamopetalous (Petals United) Polypetalous (Petals free)	Stamens united as one bundle (Monadelphous) Two bundle – (Diadelphous) More than two bundles (Polyadelphous) Epipetalous – Stamen fused with petal Epiphyllous – Stamen attached to perianth	Carpels fused (Syncarpous) Carpels free (Apocarpous)

AESTIVATION

- Arrangement of sepals or petals in a floral bud
- Valvate – no overlapping of whorls.
- Twisted – overlapping occurs
- Imbricate – overlapping present, but not in particular direction
- Vexillary – One large petal overlaps other

PLACENTATION

- Arrangement of ovules in ovary
- Marginal – Pea
- Axile – China Rose
- Parietal – Mustard
- Free central – Prime rose
- Basal – Sunflower Marigold

AERIAL

- Stem tendril for climbing – cucumber
- Stem thorn for protection → Citrus
- Phylloclade – for photosynthesis – opuntia
- Cladode – leaf-like structure – Asparagus

UNDERGROUND

- Bulb → Onion (Storage)
- Rhizome →ginger (Storage)
- Corm → Colocasia
- Tuber → Potato (Stroge)

SUB–AERIAL

- Offset → Pistia, Eichhornia
- Stolon → Strawberry
- Runner → Oxalis
- Sucker → Chrysanthemum banana (Vegetative Propagation)

LEAF

- Lateral, flattened structure on stem that develops at node.
- 3 main parts → leaf base, Petiole, lamina
- Performs photosynthesis

VENATION

- Arrangement of veins
- Reticulate → Network of veins
- Parallel → Veins are parallel

MODIFICATIONS

- Tendril → Pea
- Spine → opuntia
- Fleshy leaves → Onion
- Succulent → Aloe
- Phyllode → Acacia
- Insectivorous → Venus – fly trap.

MODIFICATION OF ROOTS

- Storag Roots Turnip carrot
- Prop roots → Banyan tree (hanging roots)
- Stilt roots → Palm (support)
- Pneumatophores → Mangroves (for oxygen / respiration)
- Nodulated Roots → Pea (for Nitrogen fixation)

REGIONS OF ROOT

- Root cap → protects the apex of Root.
- Region of meristematic activity → grow new cells.
- Region of elongation → lengthening of root
- Region of maturation → cells differentiates & mature



NCERT LINE BY LINE QUESITONS

Unit-2

1. Curly top virus spreads a plant via-
   A) Xylem B) Phloem C) Vascular bundle D) None of these
2. The book 'Plant Anatomy' was published by Esau in –
   A) Same year as she did her doctorate B) 1960
   C) 1954 D) 1957
3. Which of referred as 'Webster's of plant biology' – an encyclopedia
   A) Plant anatomy B) Anatomy of angiospermic plant
   C) Anatomy of seed plants D) A & B both
4. Esau was _____ woman to receive 'National Academy of science '
   A) 7th B) 6^{th} C) 5th D) 1th
5. Statement – I: Esau got National Academy of Science in 1957 Statement – II: In 1989, Esau received National Medal of Science in 1989.
   A) Statement – I & statement – II are both correct
   B) Statement – I & statement – II are both incorrect
   C) Statement – I is correct and statement – II is incorrect
   D) Statement – I is incorrect and statement – I is correct
6. Morphology is study of
   A) External structure of an organism B) Internal structure of an organism
   C) Systematics D) A & B booth

Paragraph – 5.1
The Root

7. Radical form-
   A) Root system of plant B) Floral part of plant
   C) Shoot system of plant D) A & B both
8. The lateral roots arise from primary root is-
   A) Primary root B) Secondary root
   C) Tertiary root D) A & B both
9. Choose the given statement which is suitable for following figure

   A) It comprises of primary & secondary root
   B) Such roots are observed in mustard
   C) These roots are replace by large number root

D) A & B both

10. From given set of example choose, how many of following are example of fibrous root and adventitious root respectively.
Sweet potato, carrot, turnip, wheat, grass, *Monstera,* banyan tree
A) 1, 4 B) 1, 3 C) 2, 3 D) 3, 2

11. Adventitious roots arise from-
A) Radicle
B) Base of stem in tuft as in wheat
C) Part of plant other than radicle as in mustard
D) Secondary root

12. Root is characterized by
A) Presence of node & internode
B) Mainly (-ve) phototropism
C) Mainly (-ve) geotropism
D) Mainly (-ve) hydrotropism

13. Which of the following is not the main function of root system is/are
A) Absorption of sap from soil
B) Providing proper anchorage to plant parts.
C) Synthesis of plant growth regulators
D) None of these

14. Identify given diagram

	A)	**B)**	**C)**
A)	Tap root	Fibrous root	Adventitio us root
B)	Tap root	Adventitious root	Fibrous root
C)	Adventitious root	Fibrous root	Tap root
D)	Fibrous root	Tap root	Adventitious root

Paragraph-5.1.1
Regions of the Root

15. In aquatic plant the apex of root is covered by
A) Thimble parenchymatous root cap
B) Root pocket
C) Coleorhiza
D) Coleoptile

16. Identify region of root tip



A) A = Region of maturation, B = Region of elongation, C = Region of meristematic activity, D = Root cap
B) A = Region of elongation, B = Region of meristematic activity, C = Root cap, D

= Protective covering

C) A = Region of meristem, B = Region of maturation, C = Region of elongation, D = Root cap

D) A = Region of growing cell, B = Region of mature cell, C = Region of dividing cell, (D = Protective covering

17. Root hair arise from –

A) Cortical cell of region of maturation

B) Epidermal cell of region of maturation

C) Cortical cell of region of elongation

D) Epidermal cell of region of elongation

18. Choose mismatch pair

Column – I	**Column – II**
A) Region of meristematic	- Small thin wall dense
B) Region of elongation	- Responsible for growth of root in length
C) Region of maturation	- Proximal to region of elongation
D) Root hair	- Differentiated and mature cell proximal to region of maturation

Paragraph-5.1.2
Modification of Root:

19. Pneumatophores are helpful in-

A) Transpiration B) Getting oxygen for respiration

C) Absorption of water D) Assimilation of food

20. Silt roots and pneumatophores are observed in-

A) Maize, *Rhizophora* B) Maize, *Rhizopus*

C) Sugarcane *Rhizopus* D) A & B both

21. Mechanical root observed in –

A) Sugarcane B) Maize

C) Banyan tree D) All of these

22. For food storage root get modified in –

A) Potato B) Sweet potato

C) Ginger D) A & B both

23. Match the following –

Column – I	**Column – II**
A) Conical root	(I) Raddish
B) Napiform root	(II) Turnip
C) Tuberous root	(III) Sweet potato
D) Fusiform root	(IV) carrot

a b c d	**a b c d**
A) IV II III I	B) IV III II I
C) III IV I II	D) III IV I II

24. Modification of root *Asparagus* is meant for –

A) Storage of food B) Mechanical support
C) Respiration D) Climbing support

25. Slit root arise from –
A) Lower nodes of Zea mays B) Lower internode of sugarcane
C) Lower internode of Zea mays D) Upper node of sugarcane

26. Pneumatophores are
i) Positive geotropism ii) Negative geotropism
iii) Grown in marshy area iv) Found in mangroves
v) Positive phototropism vi) Negative phototropism
A) i, iii, iv, vi B) ii, iii, iv, v C) i, iii, v D) ii, iv, vi

Paragraph-5.2
Stem:

27. Stem distinguish from root in –
A) Presence of node & internode B) Absence of node & internode
C) Presence of hairs for water absorption D) Absence of bud

28. Stem are develop from –
A) Radicle of germinating seed B) Plumule of germinating seed
C) Cotyledons of germinating seed D) Coleoptile

29. The region of stem where leaves are born are _____
A) Nodes B) Internode
C) Both node & internode D) Floral bud

30. Stems are generally –
A) (+ve) geotropism, (-ve) hydrotropism, (+ve) phototropism
B) (-ve) geotropism, (-ve) hydrotropism, (+ve) phototropism
C) (+ve) geotropism, (+ve) hydrotropism, (+ve) phototropism
D) (+ve) geotropism, (-ve) hydrotropism, (- ve) phototropism

Paragraph-5.2.1
Modification of stem:

31. Underground modified stem of potato is known as-
A) Tuber B) Rhizome C) Corm D) Bulb

32. Stem store food for-
A) Favourable condition growth B) Unfavourable condition growth
C) Flowering condition D) A & C both

33. Choose odd on with respect to stem modification –
A) Zaminkand B) Colocasia C) Bougainvillea D) Turmeric

34. How many of following stem modification does develop from axillary buds
Colocasia, grapevines, cucumber, pumpkin, *Opuntia*, Citrus, Watermelon, *Bougainvillea*
A) 7 B) 6 C) 5 D) 4

35. Ginger and turmeric are example of –
A) Rhizome B) Rhizoid C) Corm D) Roots

36. Photosynthetic green flattened modified stem xerophyte is in –
A) *Acacia* B) *Euphorbia* C) *Opuntia* D) *Hydrilla*

37. Stem is modified for protection in –
A) Citrus thorn
B) Bougainvillea spine
C) Opuntia thorn
D) A and C

38. Statement – I: Some plants of arid region modify their stems into fleshy cylindrical structure as in *Euphorbia*
Statement – II: In grapevines, stem tendril are for help plant to climb
A) Statement – I and Statement – II are correct.
B) Statement – I is correct while statement – II is not correct
C) Statement – I is incorrect while statement – II is correct
D) Statement – I and statement – II are incorrect

39. Stem tendril of pumpkin develop from-
A) Accessory bud
B) Axillary bud
C) Extra – axillary bud
D) Floral bud

40. Choose the correct statement about stem modification of mint
A) A slender lateral branch arises from base of main axis and after growing underground for some time arch upward to touch the ground.
B) A slender lateral branch arises from base of main axis and after growing aerially for some time arch downwards to touch the ground.
C) Stem modification is same as in strawberries
D) Stem modification mint is known as sucker

41. Match the following:

Column – I	**Column – II**
I) Strawberry	A. Sucker
II) Jasmine	B. Offset
III) *Pistia*	C. Runner
IV) Pineapple	D. Stolon

A) I – C, II – D, III – B, IV – A
B) I – B, II – C, III – A, IV – D
C) I – C, II – A, III – B, IV – D
D) I – A, II – B, III – C, IV – D

42. Choose odd one with respect to stem modification-
A) Chrysanthemum
B) Banana
C) Pineapple
D) Strawberry

43. In pineapple –
A) The lateral branches originate from basal and underground portion of main stem, grow horizontally beneath the soil and then come out obliquely upward giving rise to leafy shoot.
B) The lateral branch arises time arch downward to touch the ground growing aerially for some time arch downward to touch the ground
C) A lateral branch with short internode and each node bearing a rosette of leaves and a tuft of roots.
D) None of these

44. In *Oxalis* stem is modified for –
A) Storage
B) Support

C) Protection D) Vegetative propagation

45. Lateral branch with short internode & each node bearing a rosette of leaves and a tuft of root found in –
A) *Pistia* B) *Eichhornia* C) Grasses D) A & B both

Paragraph-5.3
The leaf

46. Choose the correct response:
A) Leaf develop at the node and bears a bud in its axile
B) Leaves originate from SAM are arranged in acropetal orders.
C) Leaf is lateral gernerally flattened vegetative structure for photosynthesis
D) All of these

47. Stipules are –
A) Two lateral small leaf like structure
B) Four lateral small leaf like structure
C) One lateral small leaf like structure
D) Many lateral small leaf like

48. The leaf base expanded into a sheath crossing the stem partially or wholly in–
A) Monocot B) Dicot
C) All angiosperms plant D) Gymnosperms

49. Pulvinus is –
A) Swollen leaf base of legume
B) Swollen petiole of legume and china Rose
C) Swollen lamina D) Swollen stipule

50. Label – A, B, C, D, E



	A	B	C	D	E
A)	Lamina	Stipule	Petiole	Axillary bud	Leaf base
B)	Lamina	Stipule	Petiole	Axillary bud	Leaf base
C)	Lamina	Pulvinus	Pedicel	Axillary bond	Leaf base
D)	Lamina	Stipule	Pedicel	Extraaxillary bond	Leaf base

Paragraph-5.3.1
Venation

51. Arrangement of vein & veinlet in lamina of leaf
A) Venation B) Phyllotaxy C) Aestivation D) None of these

52. Leaves of dicotyledonous plants generally characterized by -
A) Presence of parallel venation
B) Veins which are parallel to each other within a lamina.
C) Presence of reticulate venation
D) A & B both

53. Identify the leaf venation and type of leaf.

A) Parallel venation; monocot mainly
B) Parallel venation; dicot mainly
C) Reticulate venation; dicot mainly
D) Reticulate venation; monocot mainly

Paragraph-5.3.2 Types of leaves:

54. A leaf is simple
A) When its lamina is entire
B) When its lamina is incised, the incision do not touch the midrib
C) A & B both D) None of these

55. When the incisions of lamina reach to midrib breaking leaf into a number of leaflet is not-

A) Compound leaf B) Simple leaf
C) Pinnate leaf D) Palmate leaf

56. Identify A and B



A) A = pinnately compound leaf; Neem B = palmately compound leaf; Silk cotton
B) A = palmately compound leaf; Silk cotton B = pinnately compound leaf; Neem
C) A = pinnately compound leaf; Silk cotton B = palmately compound leaf; Neem
D) A = palmately compound leaf; Neem B = pinnately compound leaf; Silk cotton

57. Midrib of pinnately compound leaf is –
A) Mid-vein B) Rachis C) Petiole D) None of these

58. Leaflet of pinnately compound leaf arise on-
A) Common point i.e. at tip of petiole
B) Common axis
C) Common point i.e. at tip of rachis
D) A & C both

59. Leaflet of _____ arise on common point i.e. at tip of petiole
A) Pinnately compound leaf B) Palmately compound leaf
C) Simple leaf D) All of these

Paragraph-5.3.3 Phyllotaxy

60. Phyllotaxy is pattern of arrangement of ____ on the ____
A) Leaf, stem B) Phloem, stem
C) Vein, leaf D) None of these

61. Identify types of phyllotaxy shown by given diagram



	A)	**B)**	**C)**
A)	Opposite	Alternate	Whorled
B)	Alternate	Opposite	Whorled
C)	Alternate	Whorled	Opposite
D)	None of these		

62. Choose correct statement –
A) In alternate type; a single leaf arises at each node.
B) In opposite type; a pair leaves arises at each node.
C) In whorled type; more than two leaves arises at each node.
D) All of these

63. Sunflower show-
A) Alternate phyllotaxy B) Opposite phyllotaxy
C) Whorled phyllotaxy D) None of these

Paragraph-5.3.4
Modification of leaves:

64. In Australian acacia
A) Lamina modification B) Petiole modified
C) Stipule modified D) All of these

65. Select the correct option:



A) Both A & B are modified by leaves
B) A is tendrils for climbing
C) B is spines for defence D) All of these

66. Pitcher of pitcher plant is modified –
A) Leaf B) Stem C) Root D) Fruit

Paragraph-5.4
The inflorescence:

67. Flower is modified –
A) Node B) Internode C) Leaf D) Shoot

68. Choose the correct statement
A) In flower, SAM changes to floral meristem
B) In flower, internode do not elongate
C) The axis get condensed in flower.
D) All of these

69. The arrangement of flowers on the floral axis is –
A) Phyllotaxy B) Inflorescence
C) Aestivation D) Placentation

70. On the basis whether floral apex gets develop into flower or continues to grow, inflorescence are mainly of-
A) 3 types B) 4 types C) 2 types D) None of these

71. In racemose-
A) Main axis continues to grow B) Flower are in basipetal order
C) Main axis terminate into flower D) B & C both

72. Choose the correct statement about given figure



A) It is of racemose type inflorescence
B) Flowers are in basipetal order
C) Flowers are in acropetal order
D) Example of *Cassia*

73. Given diagram is of –

A) Racemose inflorescence B) Cymose inflorescence
C) Cymose inflorescence of Cassia D) B & C both

Paragraph-5.5

The flower:

74. A complete flower consist of –
A) One whorl B) Two whorls
C) Three whorls D) Four whorls

75. Flower stalk is known as –
A) Pedicel B) Thalamus C) Petiole D) Stipules

76. Thalamus is not –
A) Swollen end of pedicel B) Different whorl arranged on it

C) Accessory whorl D) Receptacle for different whorl

77. Choose the correct statement-
A) Calyx, corolla, are accessory organ
B) Androecium, gynoecium are reproductive organ
C) Perianth present in lily D) All of these

78. Perianth is
A) Indistinct calyx & corolla B) Fused corolla & androecium
C) Reproductive organ D) None of these

79. Bisexual flowers is –
A) When a flower has both androecium & gynoecium
B) Present in Solanaceae, Liliaceae
C) Present in mustard and Pea
D) All of these

80. How many of following show Actinomorphic, Zygomorphic respectively.
Mustard, datura, chilli, Pea, Canna, bean, gulmohur, Cassia
A) 3, 4 B) 4, 3 C) 4, 4 D) None of these

81. **Statement – I:** when a flower can be divided into two equal radial halves in any radial plane passing through the centre it is actinomorphic flower
Statement – II: when a flower can be divided into two similar halves only in one particular vertical plane, it is zygomorphic
A) Statement – I & II are correct B) Statement – I is correct
C) Statement – II is correct only D) Statement – I & II are incorrect

82. *Cassia* show -
A) Racemose inflorescence, zygomorphic
B) Racemose inflorescence, actinomorphic
C) Cymose inflorescence, actinomorphic
D) Cymose inflorescence, zygomorphic

83. Flower with leaf that found the base of pedicel are –
A) Bracteate B) Ebracteate C) Petiolate D) Sessile

84. Flower with floral appendages 3 or multiple of 3 are said –
A) Tetramerous B) Trimerous
C) Triploid D) Pentamerous

85. In hypogynous flower which of following floral part takes highest position
A) Calyx B) Corolla C) Androceium D) Pistil

86. Which of following is mismatched

Column-I	**Column-II**
A) 	1. Mustard

B) 	2. Brinjal
C) 	3. Peach
D) 	4. Cucumber

87. Superior ovary found in –
A) Hypogynous flower B) Perigynous flower
C) Epigynous flower D) Cucumber

88. Choose the correct about perigynous flower –
A) Gynoecium is situated in centre
B) Apart from gynoecium, rest parts are located on rim of thalamus almost at same level
C) Ovary is half inferior D) All of these

89. How many of following are example of perigynous, hypogynous and epigynous respectively.
Mustard, china Rose. Brinjal, plum, peach, rose, guava, cucumber, ray floret sunflower, Pea, *Asparagus*
A) 3, 3, 5 B) 3, 3, 3 C) 3, 5, 3 D) 5, 3, 3

90. 
(Pg. 73, E)
A) Hypogynous flower B) Epigynous
C) Perigynous D) China rose

Paragraph-5.5.1
Parts of flower

91. Flower consist of –
A) Four reproductive whorl B) Four whorl
C) Four accessory whorl D) All of these

Paragraph-5.5.1.1 Calyx

92. The outermost whorl of flower is –
A) Calyx B) Corolla C) Bract D) Thalamus

93. Choose the correct statement-

A) Sepals are members of calyx B) Petals are members of calyx
C) Sepal are plural of corolla D) None of these

94. Sepals united in _____ and sepals are free in _____ condition
A) Gamosepalous, Polysepalous B) Polysepalous, Gamosepalous
C) Polysepalous, Polysepalous D) Gamosepalous, Gamosepalous

Paragraph-5.5.1.2 Corolla

95. Corolla are –
A) Composed of petal B) United by sepals
C) Composed of tepals D) Usually for bud protection

96. Polypetalous is condition with _____ while gamopetalous is for _____
A) Free petal; fused petal B) Fused petal; free petal
C) Free petal; free petal D) Fused petal; fuced petal

97. Label (i), (ii), (iii), (iv), (v)



	(i)	(ii)	(iii)	(iv)	(v)
A)	Gynoecium	Androecium	Pedicel	Corolla	Calyx
B)	Gynoecium	Androecium	Corolla	Calyx	Pedicel
C)	Androecium	Gynoecium	Calyx	Corolla	Pedicel
D)	Androecium	Gynoecium	Corolla	Calyx	Pedicel

98. The mode of arrangement of sepals or petals in floral bud with respect to the other members of same whorl is termed as–
A) Placentation B) Aestivation
C) Phyllotaxy D) Inflorescence

99. Given diagram represent –



A) Twisted aestivation B) Imbricate aestivation
C) Vexillary aestivation D) Valvate aestivation

100. In *Calotropis*-
A) Sepals or petals in a whorl just touch one another at the margin, without overlapping
B) One margin of the appendage overlaps that of the next one
C) Margin of sepals or petals overlap one another but not in particular direction
D) None of these

101. "Keel" present in –
A) Valvate B) Imbricate C) Papilionaceous D) Twisted

102. In Pea find odd one out –

A) 'Standard' is largest petals
B) 'Standard' overlaps the two lateral Keel.
C) 'Keel' are smallest anterior petals.
D) Keel are fused

103. The aestivation in gulmohur is –
A) Valvate
B) Twisted
C) Imbricate
D) Vexillary

104. Find odd one with respect to aestivation
A) China rose
B) Cassia
C) Lady's finger
D) Cotton

Paragraph-5.5.1.3 Androecium

105. Androecium composed of –
A) Sepals
B) Petal
C) Stamen
D) Carpel

106. Each anther is usually _____ and each lobe has _____ chambers, pollen sacs
A) Bilobed; two
B) Bilobed; four
C) Tetralobed; four
D) None

107. Staminode is –
A) Fertile stamen
B) Sterile stamen
C) Both A & B
D) None of these

108. How many of following statements are true.
(i) Stamens united into one bundle i.e. monoadelphous
(ii) Monoadelphous is in china Rose, diadelphous is in Pea and polydephous is in Citrus
(iii) Variation in the length of filaments within a flower as in Salvia & mustard
(iv) Two bundle of stamens are diadelphous and when stamen are united into two or more bundle i.e. polyadelphous
A) 1
B) 2
C) 3
D) 4

Paragraph-5.5.1.4 Gynoecium

109. Female reproductive part of flower is –
A) Androecium
B) Gynoecium
C) Petal
D) Sepal

110. Pollen grains receptive surface is –
A) Stigma
B) Style
C) Ovary
D) Ovule

111. Placenta attach-
A) Ovule to ovary
B) Ovary to thalamus
C) Ovary and other floral part
D) None of these

112. Apocarpous is-
i) Free carpel
ii) Fused carpel
iii) Present in rose
iv) Present in lotus
v) Present in tomato
A) i, iii, iv
B) i, iii, v
C) ii, iii, iv
D) ii, iv, v

113. After fertilization, the ovary develop into _____ and ovule matures into a _____.
A) Fruit; fruit
B) Seed; fruit
C) Fruit; seed
D) Seed; seed

114. Placentation is arrangement of _____ within the _____.
A) Ovary; ovule
B) Placenta; embryosac
C) Ovule; ovary
D) None of these

115.

A) Such placentation seen in Argemone
B) The placenta is axial and the ovules are attached to it in an unilocular ovary
C) Such placentation seen in china rose
D) The placenta is axial and the ovules are attached to it in multilocular ovary as in *Dianthus*

116. Match the column I and column II

Column I	**Column II**
1 Parietal	a. Pea
2 Axile	b. Lemon
3 Marginal	c. *Argemone*
4 Basal	d. *Primrose*
5 Free - central	e. Sunflower

A) 1 – c, 2 – b, 3 – a, 4 – e, 5 – d
B) 1 – d, 2 – c, 3 – a, 4 – b, 5 – e
C) 1 – e, 2 – d, 3 – a, 4 – c, 5 – b
D) 1 – b, 2 – e, 3 – a, 4 – d, 5 – c

117. Choose the correct statement –
A) Unilocular ovary becomes two chambered due to the formation of false septum as in mustard
B) In Argemone ovary is two chambered due to the formation of true septum
C) Axile placentation found in multilocular ovary as in tomato
D) A & C both

118. *Dianthus* have –



119. In Marigold –
A) Same placentation found in sunflower
B) Placenta develop at base of ovary
C) Single ovule is attached to ovary
D) All of those

Paragraph-5.6 The fruit

120. Parthenocarpic fruit is –
A) Develop after fertilization from ovary
B) Develop without fertilization
C) Develop after fertilization from thalamus
D) A & C both

121. Pericarp differentiated into –
A) Outer thin epicarp, middle fleshy edible mesocarp and an inner stony hard endocarp in Mango
B) Outer fleshy epicarp, middle stony hard endocarp in mango
C) Outer thin epicarp, middle stony hard mesocarp and an inner seed in mango
D) None of these

Paragraph-5.7 The seed

122. Seed of wheat is made up of –
A) A radicle, an embryonal axis & one cotyledon
B) A radicle, an embryonal axis & two cotyledon
C) Embryo only D) Only one cotyledon

Paragraph-5.7.1
Structure of a dicotyledonous seed

123. Find odd one with respect to endosperm
A) Pea B) Gram C) Castor D) Bean

124. How many are correct statement about dicot seed?
i) Testa, an inner layer is one of two layers of seed coat
ii) Seed were attached to fruit by hilum
iii) Micropyle is small pore below hilum
iv) Castor is endospermic seed
A) 1 B) 2 C) 3 D) 4

Paragraph-5.7.2
Structure of monocotyledonous seeds

125. How many of following is wrong stated statement?
i) Generally monocot seeds are non-endospermic seed
ii) Orchid is example of dicot seed
iii) In maize, seed coat fused with fruit wall iv) Orchid is endospermic seed
A) 1 B) 2 C) 3 D) 4

126. Label a, b, c, d, e



	a	b	c	d	e
A)	Scutellum	Coleorhiza	Plumule	Radicle	Coleoptile
B)	Scutellum	Coleorhiza	Radicle	Plumule	Coleoptile
C)	Scutellum	Coleoptile	Radicle	Plumule	Coleorhiza
D)	Scutellum	Coleoptile	Plumule	Radicle	Coleorhiza

127. Aleurone layer is –
A) Carbohydrate enrich layer B) Proteinous layer
C) Lipid enrich layer D) A and B

128. Scutellum present in
A) Orchid B) Castor C) Pea D) Gram

Paragraph-5.8
Semi-technical description of a typical flowering plant-

129. Number of androecium in mustard is –
A) 2 B) 4 C) 6 D) 5

130. How many of following is incorrect about Brassicaceae (mustard) actinomorphic, zygomorphic, bisexual, K4, superior ovary, C2+2, C(4)
A) 1 B) 2 C) 3 D) 4

Paragraph-5.9 Description of some important family
Paragraph 5.9.1 Fabaceae

131. Fabaceae was earlier called as –
A) Leguminosae B) Papilionoideae
C) Both A & B D) Fabaceae

132. Given diagram is-

A) L.S of carpel of pea B) Fruit of pea
C) T.S. of carpel of pea D) Androecium of Pea

133. Calyx of fabaceae show-
A) Polypetalous B) Polysepalous
C) Valvate aestivation D) Both B & C

134. Androecium of Fabaceae is –
A) Ten in number B) 9 are united
C) 1 is free D) All of these

135. How many of following is endospermic seed-
Arhar, groundnut, Indigofera, muliathi, *Sesbania, Trifolium*
A) O B) 1 C) 2 D) 3

136. The correct floral formula of sunhemp is-

A) $\oplus\ \delta\ \underline{\underline{K}}_{(5)}\ C_{1+2+2}\ A_{(9)+1}\ \underline{\underline{G}}_{1}$

B) $\%\ \delta\ K_{(5)}\ C_{1+2+(2)}\ A_{(9)+1}\ \underline{\underline{G}}_{1}$

C) $\%\ \delta\ K_{(5)}\ C_{5}\ A_{10}\ \underline{\underline{G}}_{2}$

D) $\oplus\ \delta\ \overset{\frown}{P_{3+3}\ A_{3+3}}\ \underline{\underline{G}}_{3}$

Paragraph-5.9.2
Solanaceae

137. Which of the following is potato family?
A) Fabaceae B) Solanaceae C) Liliaceae D) Brassicaceae

138. Find out one with respect to Solanaceae
A) Alternate phyllotaxy B) Exstipulate
C) Reticulate venation D) Pulvinate

139. In *Solanum*, inflorescene is-
A) Racemose B) Cymose C) Solitary D) B and C

140. How many of following term is not correctly stated about tobacco's family.
Bicarpellary, obligately placed, apocarpous, superior ovary, bilocular, placenta swollen with many ovules, free – central placentation, drupe fruit
A) 0 B) 1 C) 2 D) 3

141. Persistant calyx found in-
A) Brinjal B) Pea C) Onion D) *Colchicine*

142. 

is floral formula of how many of following-
Aloe, belladonna, ashwagandha, muliathi, sunhemp, *Indigofera, Gloriosa*
A) 1 B) 2 C) 3 D) 4

143. Makoi plant –
A) *Solanum nigrum* B) *Solanum tuberosum*
C) *Allium* D) *Petunia*

Paragraph-5.9.3
Liliaceae

144. Given diagram is –

A) Flower of *Allium* B) Inflorescence of *Allium*
C) Inflorescence of dicot family D) Racemose

145. How many of following are endospermous seed.
Aloe, Asparagus, Tulip, Potato, Tomato, Pea, *Petunia*, Chilli, *Sesbania*, *Trifolium*, *Lupin*, Muliathi, Ashwagandha, *Colchicine*, *Gloriosa*
A) 10 B) 8 C) 15 D) 5

146. Onion show-
A) Axile placentation B) Parietal placentation
C) Free central placentation D) Basal placentation

147. Gynoceium of Aloe is not-

A) Tricarpellary B) Apocarpous

C) Syncarpous D) Superior ovary

148. Floral formula of *Colchicum autumnale* does not show-

A) Br ⊕♂♀ B) $\overset{\frown}{P_{(3+3)}\ A_{(3+3)}}$ C) $\underline{G}(3)$ D) All of these

149. Choose mismatched –

Column-I	**Column-II**
 **A)**	*Asparagus* (vegetables)
 **B)**	Mustard
 **C)**	*Pisum sativum*
 **D)**	Brassicaceae

150. The floral feature of angiosperm represented in summarized form as-

A) Floral diagram B) Floral formula

C) A and B D) None of these

NEET PREVIOUS YEARS QUESTIONS

1. Sweet potato is a modified _____. **[2018]**
   (a) stem (b) adventitious root (c) rhizome (d) tap root
2. Pneumatophores occur in _____. **[2018]**
   (a) halophytes (b) free-floating hydrophytes
   (c) submerged hydrophytes (d) carnivorous plants
3. Plants which produce characteristic pneumatophores and show vivipary belong to _____. **[2017]**
   (a) halophytes (b) psammophytes (c) hydrophytes (d) mesophytes
4. In Bougainvillea, thorns are the modifications of _____. **[2017]**
   (a) adventitious root (b) stem (c) leaf (d) stipules
5. Which of the following is not a stem modification? **[2017]**
   (a) Pitcher of Nepenthes. (b) Thorns of citrus.
   (c) Tendrils of cucumber. (d) Flattened structures of Opuntia.
6. Coconut fruit is a _____. **[2017]**
   (a) Berry (b) Nut (c) Capsule (d) Drupe
7. The morphological nature of the edible part of coconut is _____. **[2017]**
   (a) cotyledon (b) endosperm (c) pericarp (d) perisperm
8. Stems modified into flat green organs performing the functions of leaves are known as _____ **[2016]**
   (a) cladodes (b) phyllodes (c) phylloclades (d) scales
9. The standard petal of a papilionaceous corolla is also called _____. **[2016]**
   (a) carina (b) pappus (c) vexillum (d) corona
10. Proximal end of the filament of stamen is attached to the_____. **[2016]**
    (a) anther (b) connective (c) placenta (d) thalamus or petal
11. Cotyledon of maize grain is called _____. **[2016]**
    (a) plumule (b) coleorhiza (c) coleoptile (d) scutellum
12. Tricarpellary syncarpous gynoecium is found in flowers of _____. **[2016]**
    (a) liliaceae (b) Solanaceae (c) fabaceae (d) poaceae
13. Which of the following pairs is not correctly matched? **[2015]**

	Mode of reproduction	Example
(a)	Rhizome	Banana
(b)	Binary fission	*Sargassum*
(c)	Conidia	*Penicillium*
(d)	Offset	Water hyacinth

14. Leaves become modified into spines in: **[2015]**
(a) Pea (b) Onion (c) Silk cotton (d) Opuntia

15. Flowers are unisexual in: **[2015]**
(a) Cucumber (b) China rose (c) Onion (d) Pea

16. Perigynous flowers are found in: **[2015]**
(a) Cucumber (b) China rose (c) Rose (d) Guava

17. Which one of the following fruits is parthenocarpic? **[2015]**
(a) Apple (b) Jackfruit (c) Banana (d) Brinjal

18. The wheat grain has an embryo with one, large, shieldshaped cotyledon known as _____. **[2015]**
(a) coleorrhiza (b) scutellum (c) coleoptile (d) epiblast

19. Axile placentation is present in _____. **[2015]**
(a) lemon (b) pea (c) Argemone (d) Dianthus

20. Among china rose, mustard, brinjal, potato, guava, cucumber, onion and tulip, how many plants have superior ovary? **[2015]**
(a) Six (b) Three (c) Four (d) Five

21. Coconut water from a tender coconut is **[2015]**
(a) free nuclear endosperm. (b) innermost layers of the seed coar.
(c) degenerated nucellus. (d) immature emryo.

22. $\oplus\ \delta\ K_{(5)}\ \overset{\frown}{C_{(5)}}\ A_5\ \underline{G_{(2)}}$ is the floral formula of _____. **[2015]**
(a) Sesbania (b) Petunia (c) Brassica (d) Allium

23. Keel is the characteristic feature of flower of : **[2015]**
(a) Indigofera (b) Aloe (c) Tomato (d) Tulip

24. An example of edible underground stem is: **[2014]**
(a) Carrot (b) Groundnut (c) Sweet potato (d) Potato

25. When the margins of sepals or petals overlap one another without any particular direction, the condition is termed as: **[2014]**
(a) Vexillary (b) Imbricate (c) Twisted (d) Valvate

26. Placenta and pericarp are both edible portions in _____. **[2014]**
(a) apple (b) banana (c) tomato (d) potato

27. An aggregate fruit is one which develops from **[2014]**
(a) multicarpellary, syncarpous gynoecium. (b) multicarpellary, apocarpus gynoecium.
(c) complete inflorescence. (d) multicarpellary, superior ovary.

28. Which one of the following statement is correct? **[2014]**
(a) The seed in grasses is not endospermic. (b) Mango is a parthenocarpic fruit.
(c) A proteinaceous aleurone layer is present in maize grain.
(d) A sterile pistil is called a staminode.

29. Placentation, in which ovules develop on the inner wall of the ovary or in peripheral part, is **(NEET-2019)**

(1) Basal (2) Axile (3) Parietal (4) Free central

30. Which of the following shows whorled phyllotaxy ? **(NEET-2019 ODISSA)**

(1) Mustard (2) China rose (3) Alstonia (4) Calotropis

31. Bicarpellary ovary with obliquely placed septum is seen in **(NEET-2019 ODISSA)**

(1) Brassica (2) Aloe (3) Solanum (4) Sesbania

32. Match the placental types (column-I) with their examples (column-II) **(NEET-2019 ODISSA)**

Column-I	**Column-II**
(a) Basal	(i) Mustard
(b) Axile	(ii) China rose
(c) Parietal	(iii) Dianthus
(d) Free central	(iv) Sunflower

Choose the correct answer from the following options:

(1) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i) (2) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)

(3) (a)-(iv), (b)-(ii), (c)-(i), (d)-(iii) (4) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)

33. Which of the following is the correct floral formula of Liliaceae? **(NEET-2020 COVID)**

(1) $\% \, ♂♀ \, C_{1+2+(2)} \; A_{(9)+1} \; \underline{G}_{1}$ (2) $\oplus \, ♂♀ \, K_{(5)} \; \widehat{C_{(5)} \; A_{5}} \; \underline{G}_{(2)}$

(3) $\mathrm{Br} \oplus ♂♀ \; \widehat{P_{(3+3)} \; A_{3+3}} \; G_{(3)}$ (4) $\oplus \, ♂♀ \, K_{(5)} \; \widehat{C_{(5)} \; A_{5}} \; \underline{G}_{(2)}$

34. Correct position of floral parts over thalamus in mustard plant is :**(NEET-2020 COVID)**

(1) Gynoecium occupies the highest position, while the other parts are situated below it.

(2) Margin of the thalamus grows upward, enclosing the ovary completely, and other parts arise below the ovary.

(3) Gynoecium is present in the centre and other parts cover it partially.

(4) Gynoecium is situated in the centre, and other\ parts of the flower are located at the rim of the
thalamus, at the same level.

35. In some plants thalamus contributes to fruitformation. Such fruits are termed as **(NEET-2020 COVID)**

(1) False fruits (2) Aggregate fruits (3) True fruits (4) Parthenocarpic fruit

36. Identify the correct features of Mango and Coconut fruits. **(NEET-2020 COVID)**

(i) In both fruit is a drupe

(ii) Endocarp is edible in both

(iii) Mesocarp in Coconut is fibrous, and in Mango it is fleshy

(iv) In both, fruit develops from monocarpellary ovary

Select the correct option from below:

(1) (i), (iii) and (iv) only (2) (i), (ii) and (iii) only (3) (i) and (iv) only (4) (i) and (ii) only

37. The roots that originate from the base of the stem are **(NEET-2020)**
1) Lateral roots 2) Fibrous roots 3) Primary roots 4) Prop roots

38. Ray florets have: **(NEET-2020)**
1) Half inferior ovary 2) Inferior ovary 3) Superior ovary 4) Hypogynous ovary

39. The ovary is half inferior in **(NEET-2020)**
1) Plum 2) Brinjal 3) Mustard 4) Sunflower

40. Diadelphous stamens are found in: **[NEET-2021]**
1) Citrus 2) Pea 3) China rose and citrus 4) China rose

41. Match List – I with List – II **[NEET-2021]**

	List – I		**List – II**
a)	$\%\,\mathrm{K}_{(5)}\mathrm{C}_{1+2+(2)}\mathrm{A}_{(9)+1}\underline{\mathrm{G}}_{1}$	**i)**	**Brassicaceae**
b)	$\oplus\,\mathrm{K}_{(5)}\overset{\frown}{\mathrm{C}_{(5)}}\mathrm{A}_{5}\underline{\mathrm{G}}_{2}$	**ii)**	**Liliaceae**
c)	$\oplus\,\overset{\frown}{\mathrm{P}_{(3+3)}}\mathrm{A}_{3+3}\underline{\mathrm{G}}_{(3)}$	**iii)**	**Fabaceae**
d)	$\oplus\,\mathrm{K}_{2+2}\mathrm{C}_{4}\mathrm{A}_{2-4}\underline{\mathrm{G}}_{(2)}$	**iv)**	**Solanaceae**

	a	**b**	**c**	**d**
1)	i	ii	iii	iv
2)	ii	iii	iv	i
3)	iv	ii	I	iii
4)	iii	iv	ii	i

42. Which one of the following plants show vexillary aestivation and diadelphous stamens?
1) Colchium autumnale 2) Pisum sativum **[NEET-2022]**
3) allium cepa 4) Solanum nigrum

43. The flowers are Zygomorphic in: **[NEET-2022]**
a) Mustard b) Gulmohar c) *Cassia* d) *Datura*
e) Chilly
Choose the correct answer from the options given below:
1) a, b, c only 2) b, c only 3) d, e only 4) c, d, e only

44. Identify the correct set of statements: **[NEET-2022]**
a) The leaflets are modified into pointed hard thorns in citrus and Bougainvillea
b) Axillary buds form slender and spirally coiled tendrils in cucumber and pumpkin
c) Stem is flattened and fleshy in opuntia and modified to perform the function of leaves

d) Rhizophora shows vertically upward growing roots that help to get oxygen for respiration

e) Subaerially growing stems in grasses and strawberry help in vegetative propagation.

Choose the correct answer from the options given below

1) b and c only
2) a and d only
3) b, c, d and e only
4) a, b, d and e only

NCERT LINE BY LINE QUESTIONS – ANSWER

1) B	2) C	3) C	4) B	5) A	6) D	7) A	8) B	9) D	10) B
11) C	12) B	13) D	14) B	15) B	16) A	17) B	18) D	19) B	20) A
21) D	22) B	23) A	24) A	25) A	26) B	27) A	28) B	29) A	30) B
31) A	32) B	33) C	34) B	35) A	36) C	37) A	38) A	39) B	40) B
41) A	42) D	43) A	44) D	45) D	46) D	47) A	48) A	49) A	50) A
51) A	52) C	53) A	54) C	55) B	56) A	57) B	58) B	59) B	60) A
61) B	62) D	63) A	64) B	65) D	66) A	67) D	68) D	69) B	70) C
71) A	72) B	73) A	74) D	75) B	76) C	77) D	78) A	79) D	80) A
81) A	82) A	83) A	84) B	85) D	86) B	87) A	88) D	89) B	90) B
91) B	92) A	93) A	94) A	95) A	96) A	97) D	98) B	99) D	100) A
101) C	102) B	103) C	104) B	105) C	106) A	107) B	108) D	109) B	110) A
111) A	112) A	113) C	114) C	115) C	116) A	117) D	118) C	119) D	120) B
121) A	122) A	123) C	124) B	125) C	126) A	127) B	128) A	129) C	130) D
131) B	132) A	133) C	134) D	135) A	136) B	137) B	138) D	139) D	140) D
141) A	142) B	143) A	144) B	145) A	146) A	147) B	148) B	149) B	150) C

NEET PREVIOUS YEARS QUESTIONS -KEY

1 (b)	2 (a)	3 (a)	4 (b)	5 (a)	6 (d)	7 (b)	8 (c)	9 (c)	10 (d)
11 (d)	12 (a)	13 (b)	14 (d)	15 (a)	16 (c)	17 (c)	18 (b)	19 (a)	20 (a)
21 (a)	22 (b)	23 (a)	24 (d)	25 (b)	26 (c)	27 (b)	28 (c)	29 (3)	30 (3)
31 (3)	32 (3)	33 (3)	34 (1)	35 (1)	36 (1)	37 (2)	38 (2)	39 (1)	40 (2)
41 (4)	42 (2)	43 (2)	44 (3)						

NEET PREVIOUS YEARS QUESTIONS -Explanations

1. (b) Sweet potato is a modified adventitious root for storage of food. Rhizomes are underground modified stem. Tap root is primary root directly elongated from the radicle.
2. (a)
3. (a) Halophytes growing in saline soils show vivipary for seed germination and have pneumatophores for gaseous exchange.
4. (b) 5. (a)
6. (d) Coconut fruit is a drupe. A drupe is a fleshy fruit with thin skin and central stone containing the seed.
7. (b) The edible part of coconut is its endosperm. Coconut has double endosperm, liquid endosperm and cellular.
8. (c) 9. (c) 10. (d) 11. (d) 12. (a)
13. (b) Binary fission usually takes place in Amoeba, Paramecium and Euglena.
14. (d)
15. (a) The flowers of cucumber are unisexual, it means they have only male flowers or only female flowers.
16. (c) Ovary is partly superior and partly inferior in perigynous flower.

17. (c) Parthenocarpic fruits (e.g., banana) are produced without fertilisation of ovule.
18. (b)
19. (a)
20. (a) Superior ovary is found in china rose, mustard, brinjal, potato, onion and tulip. Guava and cucumber have inferior ovary.
21. (a) Coconut water is the free nuclear endosperm.
22. (b) Floral formula of Petunia (solanaceae) is

$$\oplus\ \female\ K_{(5)}\,\overset{\frown}{C_{(5)}\,A_5}\,G_{(2)}$$

23. (a) Indigofera is a member of family fabaceae. It has keel type of floral structure in which two anterior fused petals are present.
24. (d)
25. (b) If the margins of sepals or petals overlap one another but not in any particular direction as in Cassia and gulmohur, the aestivation is called imbricate.
26. (c) In tomato, edible part is pericarp and placenta.
27. (b) Aggregate fruits (etaerio) develop from the multicarpellary apocarpous ovary. They are of following types- etaerio of follicles, etaerio of achenes, etaerio of berries, etaerio of drupes.
28. (c)
37. The roots that originate from the base of the stem are adventitious roots or fibrous roots

38. Ray florets are present in head inflorescence of asteraceae, these followers contains inferior ovary

39 Peach, Plum and rose shows half inferior ovary

40. Diadelphous stamens are found in Fabaceae members – pea

41. The floral formula of

Brassicaceae family – $\oplus\ \female\ K_{2+2}\,C_4\,A_{2+4}\,G_{\underline{(2)}}$

Solanacae family – $\oplus\ \female\ K_{(5)}\,\overset{\frown}{C_{(5)}\,A_5}\ G_{\underline{(2)}}$

Fabaceae family – $\%\ \female\ K_{(5)}\,C_{1+2+(2)}\,A_{(9)+1}\,\underline{G_1}$

Liliaceae family – $\oplus\ \female\ \overset{\frown}{P_{(3+3)}\,A_{3+3}}\,\underline{G}_{(3)}$

So a(iii), b(iv), c(ii), d(i) is correct matching.

42. *Pisum sativum* show vexillary aestivation and diadelphous stamens
43. In *Cassia* & *Gulmohar* flowers are Zygomorphic
In mustard, *Datura* and chilli the flowers are actinomorphic
44 B, C, D & E statements are correct
In citrus and *Bougainvillea* the stem is modified into pointed hard thorns


CLICK HERE TO DOWNLOAD
LINE BY LINE QUESTIONS
CLASS 11 ALL SUBJECTS
Q
A

SCHOOL OF EDUCATORS

SOE

Learn | Unlearn | Relearn

JOIN OUR WHATSAPP GROUPS

FOR FREE EDUCATIONAL RESOURCES

JOIN SCHOOL OF EDUCATORS WHATSAPP GROUPS FOR FREE EDUCATIONAL RESOURCES

We are thrilled to introduce the School of Educators WhatsApp Group, a platform designed exclusively for educators to enhance your teaching & Learning experience and learning outcomes. Here are some of the key benefits you can expect from joining our group:

BENEFITS OF SOE WHATSAPP GROUPS

- **Abundance of Content:** Members gain access to an extensive repository of educational materials tailored to their class level. This includes various formats such as PDFs, Word files, PowerPoint presentations, lesson plans, worksheets, practical tips, viva questions, reference books, smart content, curriculum details, syllabus, marking schemes, exam patterns, and blueprints. This rich assortment of resources enhances teaching and learning experiences.

- **Immediate Doubt Resolution:** The group facilitates quick clarification of doubts. Members can seek assistance by sending messages, and experts promptly respond to queries. This real-time interaction fosters a supportive learning environment where educators and students can exchange knowledge and address concerns effectively.

- **Access to Previous Years' Question Papers and Topper Answers:** The group provides access to previous years' question papers (PYQ) and exemplary answer scripts of toppers. This resource is invaluable for exam preparation, allowing individuals to familiarize themselves with the exam format, gain insights into scoring techniques, and enhance their performance in assessments.

- **Free and Unlimited Resources:** Members enjoy the benefit of accessing an array of educational resources without any cost restrictions. Whether its study materials, teaching aids, or assessment tools, the group offers an abundance of resources tailored to individual needs. This accessibility ensures that educators and students have ample support in their academic endeavors without financial constraints.

- **Instant Access to Educational Content:** SOE WhatsApp groups are a platform where teachers can access a wide range of educational content instantly. This includes study materials, notes, sample papers, reference materials, and relevant links shared by group members and moderators.

- **Timely Updates and Reminders:** SOE WhatsApp groups serve as a source of timely updates and reminders about important dates, exam schedules, syllabus changes, and academic events. Teachers can stay informed and well-prepared for upcoming assessments and activities.

- **Interactive Learning Environment:** Teachers can engage in discussions, ask questions, and seek clarifications within the group, creating an interactive learning environment. This fosters collaboration, peer learning, and knowledge sharing among group members, enhancing understanding and retention of concepts.

- **Access to Expert Guidance:** SOE WhatsApp groups are moderated by subject matter experts, teachers, or experienced educators can benefit from their guidance, expertise, and insights on various academic topics, exam strategies, and study techniques.

Join the School of Educators WhatsApp Group today and unlock a world of resources, support, and collaboration to take your teaching to new heights. To join, simply click on the group links provided below or send a message to +91-95208-77777 expressing your interest.

Together, let's empower ourselves & Our Students and inspire the next generation of learners.

Best Regards,
Team
School of Educators

Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Teachers Only)

Click Here to Join

Class 1

Click Here to Join

Class 2

Click Here to Join

Class 3

Click Here to Join

Class 4

Click Here to Join

Class 5

Click Here to Join

Class 6

Click Here to Join

Class 7

Click Here to Join

Class 8

Click Here to Join

Class 9

Click Here to Join

Class 10

Click Here to Join

Class 11 (Science)

Click Here to Join

Class 11 (Humanities)

Click Here to Join

Class 11 (Commerce)

Click Here to Join

Class 12 (Science)

Click Here to Join

Class 12 (Humanities)

Click Here to Join

Class 12 (Commerce)

Click Here to Join

Kindergarten

Subject Wise Secondary and Senior Secondary Groups (IX & X For Teachers Only)

Secondary Groups (IX & X)

Click Here to Join — SST

Click Here to Join — Mathematics

Click Here to Join — Science

Click Here to Join — English

Click Here to Join — Hindi-A

Click Here to Join — IT Code-402

Click Here to Join — Hindi-B

Click Here to Join — Artificial Intelligence

Senior Secondary Groups (XI & XII For Teachers Only)

Click Here to Join — Physics

Click Here to Join — Chemistry

Click Here to Join — English

Click Here to Join — Mathematics

Click Here to Join — Biology

Click Here to Join — Accountancy

Click Here to Join — Economics

Click Here to Join — BST

Click Here to Join — History

Click Here to Join

Geography

Click Here to Join

Sociology

Click Here to Join

Hindi Elective

Click Here to Join

Hindi Core

Click Here to Join

Home Science

Click Here to Join

Sanskrit

Click Here to Join

Psychology

Click Here to Join

Political Science

Click Here to Join

Painting

Click Here to Join

Vocal Music

Click Here to Join

Comp. Science

Click Here to Join

IP

Click Here to Join

Physical Education

Click Here to Join

APP. Mathematics

Click Here to Join

Legal Studies

Click Here to Join

Entrepreneurship

Click Here to Join

French

Click Here to Join

IT

Click Here to Join

Artificial Intelligence

Other Important Groups (For Teachers & Principal's)

Click Here to Join

Principal's Group

Click Here to Join

Teachers Jobs

Click Here to Join

IIT/NEET

Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Students Only)

Click Here to Join

Class 1

Click Here to Join

Class 2

Click Here to Join

Class 3

Click Here to Join

Class 4

Click Here to Join

Class 5

Click Here to Join

Class 6

Click Here to Join

Class 7

Click Here to Join

Class 8

Click Here to Join

Class 9

Click Here to Join

Class 10

Click Here to Join

Class 11 (Science)

Click Here to Join

Class 11 (Humanities)

Click Here to Join

Class 11 (Commerce)

Click Here to Join

Class 12 (Science)

Click Here to Join

Class 12 (Humanities)

Click Here to Join

Class 12 (Commerce)

Click Here to Join

Artificial Intelligence (VI TO VIII)

Subject Wise Secondary and Senior Secondary Groups (IX & X For Students Only)

Secondary Groups (IX & X)

Click Here to Join
SST

Click Here to Join
Mathematics

Click Here to Join
Science

Click Here to Join
English

Click Here to Join
Hindi

Click Here to Join
IT Code

Click Here to Join
Artificial Intelligence

Senior Secondary Groups (XI & XII For Students Only)

Click Here to Join
Physics

Click Here to Join
Chemistry

Click Here to Join
English

Click Here to Join
Mathematics

Click Here to Join
Biology

Click Here to Join
Accountancy

Click Here to Join
Economics

Click Here to Join
BST

Click Here to Join
History

Click Here to Join

Geography

Click Here to Join

Sociology

Click Here to Join

Hindi Elective

Click Here to Join

Hindi Core

Click Here to Join

Home Science

Click Here to Join

Sanskrit

Click Here to Join

Psychology

Click Here to Join

Political Science

Click Here to Join

Painting

Click Here to Join

Music

Click Here to Join

Comp. Science

Click Here to Join

IP

Click Here to Join

Physical Education

Click Here to Join

APP. Mathematics

Click Here to Join

Legal Studies

Click Here to Join

Entrepreneurship

Click Here to Join

French

Click Here to Join

IT

Click Here to Join

AI

Click Here to Join

IIT/NEET

Click Here to Join

CUET

Groups Rules & Regulations:

To maximize the benefits of these WhatsApp groups, follow these guidelines:

1. Share your valuable resources with the group.
2. Help your fellow educators by answering their queries.
3. Watch and engage with shared videos in the group.
4. Distribute WhatsApp group resources among your students.
5. Encourage your colleagues to join these groups.

Additional notes:

1. Avoid posting messages between 9 PM and 7 AM.
2. After sharing resources with students, consider deleting outdated data if necessary.
3. It's a NO Nuisance groups, single nuisance and you will be removed.
   - No introductions.
   - No greetings or wish messages.
   - No personal chats or messages.
   - No spam. Or voice calls
   - Share and seek learning resources only.

Please only share and request learning resources. For assistance, contact the helpline via WhatsApp: +91-95208-77777.

Join Premium WhatsApp Groups
Ultimate Educational Resources!!

Join our premium groups and just Rs. 1000 and gain access to all our exclusive materials for the entire academic year. Whether you're a student in Class IX, X, XI, or XII, or a teacher for these grades, Artham Resources provides the ultimate tools to enhance learning. Pay now to delve into a world of premium educational content!

Click here for more details

Click Here to Join

Class 9

Click Here to Join

Class 10

Click Here to Join

Class 11

Click Here to Join

Class 12

📣 Don't Miss Out! Elevate your academic journey with top-notch study materials and secure your path to top scores! Revolutionize your study routine and reach your academic goals with our comprehensive resources. Join now and set yourself up for success! 📚🌟

Best Wishes,

Team
School of Educators & Artham Resources

SKILL MODULES BEING OFFERED IN MIDDLE SCHOOL

Artificial Intelligence

Beauty & Wellness

Design Thinking & Innovation

Financial Literacy

Handicrafts

Information Technology

Marketing/Commercial Application



Mass Media - Being Media Literate

Travel & Tourism

Coding



Data Science (Class VIII only)



Augmented Reality / Virtual Reality

Digital Citizenship

Life Cycle of Medicine & Vaccine

Things you should know about keeping Medicines at home

What to do when Doctor is not around



Humanity & Covid-19

Blue Pottery



Pottery

Block Printing



Food



Food Preservation



Baking

Herbal Heritage

Khadi



Mask Making

Mass Media

Making of a Graphic Novel



Kashmiri Embroidery

Embroidery

Rockets

Satellites

Application of Satellites



Photography

SKILL SUBJECTS AT SECONDARY LEVEL (CLASSES IX – X)

Retail

Information Technology



Security

Automotive

Introduction To Financial Markets

Introduction To Tourism

Beauty & Wellness

Agriculture

Food Production

Front Office Operations

Banking & Insurance

Marketing & Sales

Health Care

Apparel

Multi Media

Multi Skill Foundation Course

Artificial Intelligence

Physical Activity Trainer

Data Science

Electronics & Hardware (NEW)

Foundation Skills For Sciences (Pharmaceutical & Biotechnology)(NEW)



Design Thinking & Innovation (NEW)

SKILL SUBJECTS AT SR. SEC. LEVEL (CLASSES XI – XII)

Retail

InformationTechnology

Web Application

Automotive

Financial Markets Management

Tourism

Beauty & Wellness

Agriculture

Food Production

Front Office Operations

Banking

Marketing

Health Care

Insurance

Horticulture



Typography & Comp. Application

Geospatial Technology



Electrical Technology

Electronic Technology



Multi-Media

Taxation

Cost Accounting



Office Procedures & Practices



Shorthand (English)



Shorthand (Hindi)



Air-Conditioning & Refrigeration



Medical Diagnostics

Textile Design

Design



Salesmanship



Business Administration



Food Nutrition & Dietetics



Mass Media Studies

Library & Information Science

Fashion Studies



Applied Mathematics

Yoga



Early Childhood Care & Education

Artificial Intelligence

Data Science



Physical Activity Trainer(new)



Land Transportation Associate (NEW)

Electronics & Hardware (NEW)

Design Thinking & Innovation (NEW)